



ENMMP-X210

Digital Media Player for TV and Computer

The ENCORE ENMMP-X210 Digital Media Player for TV and Computer is a digital multimedia player in palm size. It could play your favorite multimedia files stored in the memory cards, USB flash drive or USB external hard disk storage onto your home entertainment system with the remote control.

It supports to play music, photos and video files stored in many current multimedia file formats. It supports one card reader for reading multimedia files from different memory card formats and two USB ports for connections to USB flash drives or USB external hard disk storages. It supports the VGA, CVBS and YPbPr connections for outputs of audio and video to your home entertainment system.

The ENMMP-X210 is the simplest multimedia player you would ever have. It connects your home entertainment center and enables you to enjoy music, photos and videos files stored in your personal storages on your television and stereo system.

Features and Benefits

- VGA output up to 1024*768 hi-resolution

- Plays music, photos, slideshows, and videos on your home entertainment center
- Supports RCA and YPbPr outputs
- Supports RM/RMVB, MPEG 1/2, DAT, AVI and XVID formats
- Supports WMA audio formats
- Supports BMP, JPEG and PNG picture slideshow
- Supports SD/MMC/MS/XD memory card formats
- Supports USB flash drive or USB external hard disk storage

Specification

Video format	RealVideo 8/9/10 RM/RMVB MPEG-1/2 MPG, DAT, VOB MPEG-4 AVI, XVID
Video resolution	RM up to 1024x576 Other format up to 720x576 (D1)
Bit rate	RM up to 1600Kb/s Other format up to 300Kb/s -1400Kb/s
Audio format	Real Audio, AAC, AC3, WMA, WAV (PCM / ADPCM)
Picture format	BMP, JPEG, PNG
Txt format	*.srt, *.sub, *.ssa, *.smi
Power Supply	5V 2A
Dimensions	150 x 105 x 25 mm
Input Port	Memory Card: SD / MMC / MS / XD USB flash drive/hard disk storage; FAT32 or NTFS file systems
Output port	VGA D-Sub output Audio / Video output YPbPr video output


A/V Output Ports and Power

R-AUDIO-L	Stereo audio output
AV/Y	AV output or Y carries (brightness) output
Pb	Pb carries output
Pr	Pr carries output
VGA	VGA D-sub output
DC 5V	5V 2A input

Media Connectors

USB	USB host ports
SD/MMC/MS/XD	SD/MMC/MS/XD memory card reader

Application



System Requirements

- TV display unit or CRT / LCD monitor with YPbPr, CVBS or VGA connector.
- Independent of OS (operating system) and no need of software driver installation.

Package Contents

- ENMMP-X210 device
- 5V power adapter
- AV / Audio cable
- YPbPr cable
- Batteries (optional)
- Remote control
- User manual

※ The specifications and picture are subject to change without prior notice! Please refer to the directions in product package